


E7	1	TRIS (TRIMETHYLSILOXY) Silylmethanethiol/CN
E8	1	TRIS (TRIMETHYLSILYL) BORATE/CN
E9	1	TRIS (TRIMETHYLSILYL) CYANURATE/CN
E10	1	TRIS (TRIMETHYLSILYL) PHOSPHATE/CN
E11	1	TRIS (TRIMETHYLSILYL) PHOSPHITE/CN
E12	1	TRIS (TRIMETHYLSILYL) THIAMPHENICOL/CN

=> s e3

L1 1 "TRIS (TRIMETHYLSILOXY) SILANE"/CN

=> d

L1 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN
 RN 1873-89-8 REGISTRY
 CN Trisiloxane, 1,1,1,5,5,5-hexamethyl-3-[(trimethylsilyl)oxy]- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Trisiloxane, 1,1,1,5,5,5-hexamethyl-3-(trimethylsiloxy)- (6CI, 7CI, 8CI)
 OTHER NAMES:
 CN **Tris(trimethylsiloxy)silane**
 CN Tris(trimethylsilyloxy)silane
 FS 3D CONCORD
 MF C9 H28 O3 Si4
 CI COM
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CSICHEM, MSDS-OHS, USPATFULL
 (*File contains numerically searchable property data)
 Other Sources: EINECS**
 (**Enter CHEMLIST File for up-to-date regulatory information)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

88 REFERENCES IN FILE CA (1947 TO DATE)
 3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 88 REFERENCES IN FILE CAPLUS (1947 TO DATE)
 10 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> e methyltris(trimethylsiloxy)silane/cn

E1	1	METHYLTRIS (TRIMETHYLPHOSPHINE) PLATINUM(1+)
1,1,1,5,5,5-HEXAF		
LUORO-2,4-PENTANEDIONATE/CN		
E2	1	METHYLTRIS (TRIMETHYLPHOSPHINE) RHODIUM/CN
E3	1 -->	METHYLTRIS (TRIMETHYLSILOXY) SILANE/CN
E4	1	METHYLTRIS (TRIMETHYLSILYL) BISMUTHONIUM/CN
E5	1	METHYLTRIS (TRIMETHYLSILYL) SILANE/CN
E6	1	METHYLTRIS (TRIMETHYLSTANNYL) STANNANE/CN
E7	1	METHYLTRIS (TRIPHENYLPHOSPHINE) COBALT/CN
E8	1	METHYLTRIS (TRIPHENYLPHOSPHINE) PLATINUM(1+)
TRIFLUOROMETHANES		
ULFONATE/CN		
E9	1	METHYLTRIS (TRIPHENYLPHOSPHINE) RHODIUM/CN
E10	1	METHYLTRIS (VINILOXY) GERMANE/CN
E11	1	METHYLTRIS (VINYLTHIO) SILANE/CN
E12	1	METHYLTRIS (VINYLTHIO) SILANE POLYMER/CN

=> s e3

L2 1 "METHYLTRIS (TRIMETHYLSILOXY) SILANE"/CN

=> d

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2003 ACS on STN

RN 17928-28-8 REGISTRY

CN Trisiloxane, 1,1,1,3,5,5,5-heptamethyl-3-[(trimethylsilyl)oxy] - (9CI)
(CA

INDEX NAME)

OTHER CA INDEX NAMES:

CN Trisiloxane, 1,1,1,3,5,5,5-heptamethyl-3-(trimethylsiloxy)- (6CI, 7CI, 8CI)

OTHER NAMES:

CN 1,1,1,3,5,5,5-Heptamethyl-3-(trimethylsiloxy)trisiloxane

CN Methyltris(trimethylsiloxy)silane

CN Tris(trimethylsiloxy)methylsilane


MF C10 H30 O3 Si4

CI COM

LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CSCHEM, DETHERM*, GMELIN*, SPECINFO, TOXCENTER, USPAT2, USPATFULL
(*File contains numerically searchable property data)

Other Sources: EINECS**, NDSL**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

81 REFERENCES IN FILE CA (1947 TO DATE)

2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

81 REFERENCES IN FILE CAPLUS (1947 TO DATE)

16 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> e propyltris(trimethylsiloxy)silane/cn

E1 1 PROPYLTRIPHENYLPHOSPHONIUM TCNQ (1:2)/CN

E2 1 PROPYLTRIS (DIMETHYLSILOXY) SILANE/CN

E3 0 --> PROPYLTRIS (TRIMETHYLSILOXY) SILANE/CN

E4 1 PROPYLURE/CN

E5 1 PROPYLURE-DEET MIXTURE/CN

E6 1 PROPYLUREA/CN

E7 1 PROPYLUREA CONJUGATE ACID/CN

E8 1 PROPYLURUFURANIC ACID/CN

E9 1 PROPYLUX/CN

E10 1 PROPYLVINYL CARBINOL/CN

E11 1 PROPYLVILOGEN DIBROMIDE/CN

E12 1 PROPYLVILOGEN DIPERCHLORATE/CN

=> file caplus

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

17.00

17.21

FILE 'CAPLUS' ENTERED AT 08:26:11 ON 12 AUG 2003

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 12 Aug 2003 VOL 139 ISS 7
FILE LAST UPDATED: 11 Aug 2003 (20030811/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l2

L3 81 L2

=> s l2 and cleaning

81 L2
107556 CLEANING
L4 7 L2 AND CLEANING

=> d 1-7 kwic

L4 ANSWER 1 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
TI Vapor phase siloxane dry **cleaning** process
AB Volatile cyclic, linear or branched siloxanes are used in the vapor phase for the **cleaning** of soiled or stained fabrics. The linear or branched siloxanes are M2+y+2zDxTyQz (M = R13SiO1/2; D = R2R3SiO2/2; T = .
ST siloxane dry **cleaning** agent textile
IT Detergents
(dry-**cleaning**; volatile phase cyclic, linear or branched siloxane solvent for dry **cleaning** of garments)
IT **Cleaning** solvents
Textiles
(volatile phase cyclic, linear or branched siloxane solvent for dry **cleaning** of garments)
IT Cyclosiloxanes
Polysiloxanes, uses
Siloxanes (nonpolymeric)
RL: TEM (Technical or engineered material use); USES (Uses)
(volatile phase cyclic, linear or branched siloxane solvent for dry **cleaning** of garments)
IT 107-46-0, Hexamethyldisiloxane 107-51-7, Octamethyltrisiloxane 107-52-8, Tetradecamethylhexasiloxane 141-62-8, Decamethyltetrasiloxane 141-63-9, Dodecamethylpentasiloxane 541-01-5, Hexadecamethylheptasiloxane 541-02-6, Decamethylcyclopentasiloxane 17928-28-8, Methyltris(trimethylsiloxy)silane
RL: TEM (Technical or engineered material use); USES (Uses)
(volatile phase cyclic, linear or branched siloxane solvent for dry **cleaning** of garments)
L4 ANSWER 2 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
TI Preparation of branched siloxanes useful as industrial siloxane

lubricants, cosmetic fluids, and **cleaning** agents.

AB a linear phosphonitrilic chloride (LPNC) catalyst. Compds. of the type prepd. are useful as industrial siloxane lubricants, cosmetic fluids, and **cleaning** agents.

ST siloxane nonpolymeric prepn linear phosphonitrilic chloride catalyst; lubricant siloxane nonpolymeric prepn; cosmetic fluid siloxane nonpolymeric prepn; **cleaning** agent siloxane nonpolymeric prepn; methyltristrimethylsiloxysilane prepn; propyltristrimethylsiloxysilane prepn; alkyltrisalkylsiloxysilane prepn

IT Cosmetics
(liqs.; prepn. of branched siloxanes useful as industrial siloxane lubricants, cosmetic fluids, and **cleaning** agents)

IT Scouring agents
(prepn. of branched siloxanes useful as industrial siloxane lubricants, cosmetic fluids, and **cleaning** agents)

IT Siloxanes (nonpolymeric)
RL: IMF (Industrial manufacture); PREP (Preparation)
(prepn. of branched siloxanes useful as industrial siloxane lubricants, cosmetic fluids, and **cleaning** agents)

IT Lubricants
(siloxane; prepn. of branched siloxanes useful as industrial siloxane lubricants, cosmetic fluids, and **cleaning** agents)

IT 13940-58-4P 17928-28-8P, Methyltris(trimethylsiloxy)silane 60111-46-8P
RL: IMF (Industrial manufacture); PREP (Preparation)
(prepn. of branched siloxanes)

L4 ANSWER 3 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

TI Method of dry **cleaning** fabrics and dry **cleaning** solvent therefor

AB The method comprises (a) immersing or soaking a fabric material in a dry **cleaning** solvent contg. .gtoreq.30% which is a tris(trimethylsiloxy)silane RSi(OSiMe3)3 (R = C1-6 monovalent hydrocarbyl)
and 0-70% petroleum-based hydrocarbon solvent to dissolve out dirt materials deposited on the fabric material into the solvent; (b) removing the dirt material dissolved dry **cleaning** solvent by solid-liq. sepn.; and (c) drying the cleaned fabric material. The **cleaning** method provide high cleansing effect on oily or greasy dirt deposited on the fabrics and very pleasant touch feeling.

ST trimethylsiloxy silane dry **cleaning** solvent fabric

IT Hydrocarbon oils
RL: TEM (Technical or engineered material use); USES (Uses)
(Brightsol; method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT Textiles
(cotton; method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT Dry **cleaning** solvents
(drying; method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT Polyamide fibers, miscellaneous
Polyester fibers, miscellaneous
RL: MSC (Miscellaneous)
(fabrics; method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT Textiles
(method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT Petroleum hydrocarbons
RL: TEM (Technical or engineered material use); USES (Uses)
(method of dry **cleaning** fabrics using tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT 17928-28-8P, Methyltris(trimethylsiloxy)silane 60111-46-8P

RL: IMF (Industrial manufacture); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
 (method of dry **cleaning** fabrics using
 tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT 1873-89-8D, Tris(trimethylsiloxy)silane, alkyl derivs.
 RL: TEM (Technical or engineered material use); USES (Uses)
 (method of dry **cleaning** fabrics using
 tris(trimethylsiloxy)silane-based dry **cleaning** solvents)

IT 75-79-6, Methyltrichlorosilane 107-46-0, Hexamethyldisiloxane
 141-57-1, Propyltrichlorosilane 1066-40-6, Trimethyl silanol
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (prepn. of tris(trimethylsiloxy)silane-based dry **cleaning**
 solvents)

L4 ANSWER 4 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

TI Dry-**cleaning** detergent compositions containing silicone oils and
 silicone-type surfactants

AB . . . 95-99.9% silicone oil with b.p. .ltoreq.300.degree. at 1 atm.
 and
 0.1-5% silicone surfactant compatible to the silicone oil. Thus, a dry-
cleaning detergent compn. comprising 99.7 parts
 octamethylcyclopentasiloxane and 0.3 parts
 (CH3)3SiO[Si(CH3)2O]27[Si(R)(CH
 3)O]3Si(CH3)3 (R = -(CH2)3O(C2H4O)4H) showed good detergency and no odor
 of. . .

ST silicone oil dry **cleaning** detergent; polyoxyalkylene
 polysiloxane surfactant dry **cleaning** detergent

IT Surfactants
 (dry-**cleaning** detergent compns. contg. silicone oils and
 silicone-type surfactants)

IT Polysiloxanes, uses
 RL: TEM (Technical or engineered material use); USES (Uses)
 (dry-**cleaning** detergent compns. contg. silicone oils and
 silicone-type surfactants)

IT Detergents
 (dry-**cleaning**; dry-**cleaning** detergent compns.
 contg. silicone oils and silicone-type surfactants)

IT Polysiloxanes, uses
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (polyoxyalkylene-, graft, surfactants; dry-**cleaning** detergent
 compns. contg. silicone oils and silicone-type surfactants)

IT Polyoxyalkylenes, uses
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (polysiloxane-, graft, surfactants; dry-**cleaning** detergent
 compns. contg. silicone oils and silicone-type surfactants)

IT 214495-17-7DP, trimethylsilyl-terminated
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (dry-**cleaning** detergent compns. contg. silicone oils and
 silicone-type surfactants)

IT 107-51-7, Octamethyltrisiloxane 141-62-8, Decamethyltetrasiloxane
 141-63-9, Dodecamethylpentasiloxane 17928-28-8,
 Tris(trimethylsiloxy)methylsilane 62306-33-6,
 Octamethylcyclopentasiloxane
 RL: TEM (Technical or engineered material use); USES (Uses)
 (dry-**cleaning** detergent compns. contg. silicone oils and
 silicone-type surfactants)

IT 156310-28-ODP, Dimethylsilanediol-methylsilanediol-ethylene oxide graft
 copolymer, trimethylsilyl-terminated 163750-01-4P, Dimethylsilanediol-
 methylsilanediol-ethylene oxide-propylene oxide graft copolymer n-butyl
 ether
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (surfactant; dry-**cleaning** detergent compns. contg. silicone

oils and silicone-type surfactants)

- L4 ANSWER 5 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
TI Process for stabilization of siloxane dry **cleaning** solvents by contacting them with water
AB A method for stabilizing silicone dry **cleaning** solvents that may contain an undesirable acidic impurity capable of causing cyclic siloxane formation comprises contacting the silicone solvent with. . .
ST siloxane dry **cleaning** solvent stabilization water
IT Zeolite 13X
Zeolite 4A
RL: NUU (Other use, unclassified); USES (Uses)
(adsorbents; stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns. and drying with)
IT Dry **cleaning** solvents
Extractants
Extraction
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns.)
IT Cyclosiloxanes
Siloxanes (nonpolymeric)
RL: PUR (Purification or recovery); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns.)
IT Adsorbents
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns. and drying with)
IT 7778-18-9, Calcium sulfate 10043-52-4, Calcium chloride, uses
RL: NUU (Other use, unclassified); USES (Uses)
(adsorbent; stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns. and drying with)
IT 7732-18-5, Water, uses
RL: NUU (Other use, unclassified); USES (Uses)
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns.)
IT 107-51-7P, Octamethyltrisiloxane 141-62-8P, Decamethyltetrasiloxane 141-63-9P, Dodecamethylpentasiloxane 541-02-6P, Decamethylcyclopentasiloxane 556-67-2P, Octamethylcyclotetrasiloxane 17928-28-8P, Methyltris(trimethylsiloxy)silane
RL: PUR (Purification or recovery); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns.)
IT 144-55-8, Sodium bicarbonate, uses 497-19-8, Sodium carbonate, uses 7447-40-7, Potassium chloride, uses 7487-88-9, Magnesium sulfate, uses 7647-14-5, Sodium chloride, uses 7647-15-6, Sodium bromide, uses
RL: NUU (Other use, unclassified); USES (Uses)
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns. contg.)
IT 64-19-7, Acetic acid, processes 75-75-2, Methanesulfonic acid 104-15-4, p-Toluenesulfonic acid, processes 1832-07-1, Phosphonitrilic chloride 7647-01-0, Hydrochloric acid, processes 7664-93-9, Sulfuric acid, processes 27176-87-0, Dodecylbenzenesulfonic acid
RL: REM (Removal or disposal); PROC (Process)
(stabilization of siloxane dry **cleaning** solvents by contacting with aq. solns. to remove)
- L4 ANSWER 6 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN
TI Process for stabilization of siloxane dry **cleaning** compounds
AB A method for stabilizing silicone dry **cleaning** solvents contg. impurities comprises contacting the silicone solvent with an adsorbent, neutralizing agent or combination thereof to purify the solvent. . .
ST silicone dry **cleaning** solvent stabilization absorbent neutralizing agent
IT Cleans, uses

RL: TEM (Technical or engineered material use); USES (Uses)
 (acidic, adsorbent; process for stabilization of siloxane dry
cleaning compds.)

IT Diatomite
 Fuller's earth
 Silica gel, uses
 Zeolite 13X
 Zeolite 4A
 RL: TEM (Technical or engineered material use); USES (Uses)
 (adsorbent; process for stabilization of siloxane dry **cleaning**
 compds.)

IT Neutralization
 (agent; process for stabilization of siloxane dry **cleaning**
 compds.)

IT Charcoal
 RL: TEM (Technical or engineered material use); USES (Uses)
 (decolorizing, adsorbent; process for stabilization of siloxane dry
cleaning compds.)

IT Polysiloxanes, processes
 RL: PEP (Physical, engineering or chemical process); PROC (Process)
 (dry **cleaning** solvent; process for stabilization of siloxane
 dry **cleaning** compds.)

IT Adsorbents
 Dry **cleaning** solvents
 Stabilizing agents
 (process for stabilization of siloxane dry **cleaning** compds.)

IT 1832-07-1, Phosphonitrile chloride
 RL: REM (Removal or disposal); PROC (Process)
 (linear; process for stabilization of siloxane dry **cleaning**
 compds.)

IT 64-19-7, Acetic acid, processes 75-75-2, Methanesulfonic acid
 104-15-4, p-Toluenesulfonic acid, processes 7647-01-0, Hydrochloric acid,
 processes 7664-93-9, Sulfuric acid, processes 27176-87-0,
 Dodecylbenzenesulfonic acid
 RL: REM (Removal or disposal); PROC (Process)
 (process for stabilization of siloxane dry **cleaning** compds.)

IT 107-51-7, Octamethyltrisiloxane 141-62-8, Decamethyltetrasiloxane
 141-63-9, Dodecamethylpentasiloxane 541-02-6,
 Decamethylcyclopentasiloxane 556-67-2, Octamethylcyclotetrasiloxane
 17928-28-8, Methyltris(trimethylsiloxy)silane
 RL: TEM (Technical or engineered material use); USES (Uses)
 (process for stabilization of siloxane dry **cleaning** compds.)

L4 ANSWER 7 OF 7 CAPLUS COPYRIGHT 2003 ACS on STN

TI Organosiloxane type **cleaning** agent and **cleaning** method

AB The title **cleaning** agents contain a siloxane oligomer selected
 from $\text{RSi}[(\text{OSiR}_2)_x\text{R}]_3$ [R = (substituted) monovalent hydrocarbon group; x =
 1-3] and $\text{Si}[(\text{OSiR}_2)_y]_4$ (R = group; y = 1-3), where R does not
 include chlorinated hydrocarbon groups. The compds have low surface
 tension and good **cleaning** liq. cutting characteristics.
 Methyltris (trimethylsiloxy) silane was prepd. from
 methyltrimethoxysilane
 and hexamethyldisiloxane.

ST siloxane **cleaning** agent

IT Detergents
 (organosiloxane type **cleaning** agent and **cleaning**
 method)

IT 681-84-5P, Tetramethoxy silane 3555-47-3P, Tetrakis (trimethylsiloxy)
 silane 17928-28-8P, Methyltris (trimethylsiloxy) silane
 RL: IMF (Industrial manufacture); TEM (Technical or engineered material
 use); PREP (Preparation); USES (Uses)
 (organosiloxane type **cleaning** agent and **cleaning**
 method)

IT 107-46-0, Hexamethyldisiloxane 1185-55-3, Methyl trimethoxysilane
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (organosiloxane type **cleaning** agent and **cleaning**